

WorkForce Enterprise

WF-C20600 D4TW



With print speeds of up to 60ppm this eco-responsible MFP offers impressive reliability and high print yields, reducing operational costs

Print up to 100,000 pages in mono or 50,000 in colour without changing the supplies. This reliable, low maintenance 4-in-1 device² offers high-speed performance, superior image quality, all with significant sustainability advantages over laser models.

Superior quality at high speeds

The WorkForce Enterprise WF-C20600 delivers superior image quality at print speeds of up to 60ppm and a fast first copy out time (FCOT) of 5.6 seconds³.

Super high ink yield

Print up to 100,000 pages in mono or 50,000 in colour without changing the ink supplies.¹ This means there is even less need for user intervention. Through fewer consumables and supplies, it also produces less waste. With low power consumption, the overall environmental impact of printing is cut dramatically.

Robust, high-end finishing capability

With advanced finishing such as booklet finisher and hole punch options, this device offers advanced finishing capability. It also offers a high paper capacity of up to 5,350 pages, increasing productivity further.


Heat-free technology

Epson Heat-Free Precision Core Technology requires no heat to warm up when it is switched on or awoken from sleep, which significantly reduces energy consumption. This allows Epson's Heat-Free inkjets to deliver an exceptional fast FCOT compared to laser technology.

Advanced software solution compatibility

A variety of software solutions can be integrated into existing IT infrastructure to improve efficiency. This includes Epson's new Epson Remote Services (ERS) which offers cloud-based device monitoring and management system that delivers advanced remote diagnostics for Epson business products.

DATASHEET / BROCHURE



KEY FEATURES

- **Faster performance**
Fast FCOT of 5.6 seconds and print speeds of up to 60ppm
- **High capacity ink yield**
Users can print up to 100,000 pages in mono or 50,000 in colour without changing the ink supplies¹
- **Improved finishing capability**
Advanced finishing such as booklet finisher and hole punch options
- **Powerful scanning capability**
Thin paper support and improved scanning quality
- **Works with Epson Remote Services**
Cloud based, advanced diagnosis of Epson printers and MFPs

PRODUCT SPECIFICATIONS

TECHNOLOGY

| | |
|----------------------|--|
| Printing Method | PrecisionCore™ Micro TFP printhead |
| Nozzle Configuration | 8.676 Nozzles Black, 8.676 Nozzles per Color |
| Minimum Droplet Size | 3,5 pl |
| Ink Technology | DURABrite™ Pro |
| Category | Office Departmental |
| All-in-One Functions | Print, Scan, Copy |

PRINT

| | |
|--|--|
| First Page Out | Monochrome 5,6 Seconds, Colour 5,6 Seconds |
| Printing Speed ISO/IEC 24734 | 60 pages/min Monochrome, 60 pages/min Colour |
| Duplex Printing Speed ISO/IEC 24734 | 60 A4 Pages/min Monochrome, 60 A4 Pages/min Colour |
| Printing Speed ISO/IEC 24734 (A3) | 37 pages/min Monochrome, 37 pages/min Colour |
| Duplex Printing Speed ISO/IEC 24734 (A3) | 37 A4 Pages/min Monochrome, 37 A4 Pages/min Colour |
| Maximum Printing Speed | 60 pages/min Monochrome (plain paper 75 g/m ²), 60 pages/min Colour (plain paper 75 g/m ²) |
| Printing Resolution | 600 x 2.400 DPI |
| Printing Volume | 400.000 pages per month The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities. |
| Recommended Duty Cycle | 8.000 - 100.000 pages per month |
| Colours | Black, Cyan, Yellow, Magenta |

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

SCAN

| | |
|-------------------------------|---|
| Double-sided scanning | Yes |
| Scanning Speed | 60 ipm (Monochrome, Single-sided, 300 dpi, ADF); 60 ipm (Colour, Single-sided, 300 dpi, ADF); 110 ipm (Monochrome, Double-sided, 300 dpi, ADF); 110 ipm (Colour, Double-sided, 300 dpi, ADF); |
| Optical Resolution | 600 DPI x 600 DPI (Horizontal x Vertical) |
| Optical Resolution (ADF) | 600 DPI x 600 DPI (Horizontal x Vertical) |
| Advanced document integration | Scan to Email, Scan to FTP, Scan to USB, Computer (Epson Document Capture Pro), USB Memory Device / Card |
| Output formats | BMP, JPEG, TIFF, multi-TIFF, PDF, PNG |
| Scanner type | Contact image sensor (CIS) |
| Optical Resolution | 600 DPI x 600 DPI (Horizontal x Vertical) |

FAX

| | |
|------------------------|---|
| Type of fax | Walk-up black and white and colour fax capability |
| Fax Transmission Speed | Up to 33.6kbps / Approx. 3 sec/page |
| Error correction mode | CCITT/ITU Group3 fax with Error Correction Mode |
| Fax speed dials (max) | 2.000 names and numbers |
| Page memory | Up to 550 pages/ 6MB (ITU-T No. 1 chart) |
| Fax Functions | PC Fax, Fax to E-mail, Memory Reception, Auto Redial, Fax to Folder, Address Book, Fax Preview, Polling Reception |

WorkForce Enterprise WF-C20600 D4TW

WHAT'S IN THE BOX

- Information sheet
- Power cable
- User guide

PRODUCT SPECIFICATIONS

WorkForce Enterprise WF-C20600 D4TW

COPY

| | |
|--------------------------|--|
| Copy Speed | Up to 60 ipm Black, Up to 60 ipm Colour *Simplex ADF 600 x 600 dpi (ISO/ IEC 24735) |
| Copy resolution (dpi) | 600 x 1200 |
| Reduction / Enlargement | 25 % - 400 % |
| Maximum number of copies | 9.999 |
| Maximum Copy Size | A3 |

CONNECTIVITY

| | |
|------------------------------|--|
| Network Printing Protocols | IPP, LDP, Port 9100, WSD |
| Network Management Protocols | SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping, SNMP 2.0c, SNMP 3.0 |
| Network Protocol | IPv4, IPv6 |
| Network Scanning Protocols | WSD-Scan, FTP |
| Interfaces | 10 Base-T, Ethernet interface (100 Base-TX / 10 Base-T), Ethernet 1000, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n, Wi-Fi Direct, USB 11.0-A, USB 2.0-A, USB 3.0 Type B |
| WLAN Security | WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA PSK (AES) |
| Network Protocol | TCP/IPv4, TCP/IPv6, TCP, HTTP, HTTPS, IPv4, IPv6, IPSEC, SSL/TLS |

PAPER / MEDIA HANDLING

| | |
|---------------------------------|---|
| Paper Formats | A3 (29.7x42.0 cm), A4 (21.0x29.7 cm), Postcard, A3+, A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope), Executive, Letter, Legal, HLT, No. 10 (Envelope), User defined |
| Automatic Document Feed | 150 pages |
| Compatible Paper Weight | 60 g/m ² - 350 g/m ² |
| Duplex | Yes (A4/A3, plain paper) |
| Standard Paper input | 2.350 Sheets Standard, 150 Sheets MP tray, 550 Sheets paper tray |
| Output Tray Capacity | 550 Sheets |
| Maximum paper input | 5.350 |
| Rear paper path (special media) | Yes |
| Number of paper trays | 4 |

PAPER FEED RASF

| | |
|-------------------------|--|
| Paper Input Name | RASF |
| Paper Formats | A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope), Letter, 20 x 25 cm, HLT, User defined, SRA3 |
| Custom sizes | Min 55x 330 mm to Max 127x 1.200 mm |
| Compatible paper weight | 60 g/m ² - 350 g/m ² |
| Paper Capacity 1 | 150 80gsm |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead |

PAPER FEED C1

| | |
|-------------------------|---|
| Paper Input Name | C1 |
| Paper Formats | A3, A4, A5, B4, B5, Letter, HLT, Executive |
| Custom sizes | Min 140x 297 mm to Max 182x 432 mm |
| Compatible paper weight | 60 g/m ² - 160 g/m ² |
| Paper Capacity 1 | 550 80gsm |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead |

{SPECGROUPNAMEPAPERFEEDC2-C4}

| | |
|-------------------------|---|
| Paper Input Name | C2-C4 |
| Paper Formats | A3, A4, A5, B4, B5, Letter, HLT |
| Custom sizes | Min 140x 297 mm to Max 182x 432 mm |
| Compatible paper weight | 60 g/m ² - 160 g/m ² |
| Paper Capacity 1 | 550 80gsm |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead |

PRODUCT SPECIFICATIONS

WorkForce Enterprise WF-C20600 D4TW

PAPER FEED LCT

| | |
|-------------------------|--|
| Paper Input Name | LCT |
| Paper Formats | A4, Letter |
| Compatible paper weight | 60 g/m ² - 160 g/m ² |
| Paper Capacity 1 | 3.000 80gsm |
| Media type | Plain Paper, Recycled Paper, Colour Paper |

PAPER FEED DUPLEX

| | |
|-------------------------|--|
| Paper Input Name | Duplex |
| Compatible paper weight | 60 g/m ² - 160 g/m ² |

GENERAL

| | |
|------------------------------|---|
| Energy Use | 160 Watt (standalone copying, ISO/IEC 24712 pattern), 1,1 Watt (sleep mode), 76 Watt (Ready), 0,1 Watt (Power off), TEC 0,31 kWh/week |
| Supply Voltage | AC 100 V - 240 V, 50 Hz - 60 Hz |
| Product dimensions | 674 x 757 x 1.243 mm (Width x Depth x Height) |
| Product weight | 177,1 kg |
| Compatible Operating Systems | Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X 10.12.x, Mac OS X 10.13.x, Mac OS X 10.6.8, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2003 R2 x64, Windows Server 2003 SP2, Windows Server 2008 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP SP3, Windows XP SP3 or later (32-bit), Windows Server 2003 SP2 or later, XP Professional x64 Edition SP2 |
| Sound Power | Operation: 7,5 B (A) |
| Noise | Operation: 60 dB (A) |
| Power supply | 220V, 240V |

ADDITIONAL FEATURES

| | |
|--------------------|--|
| Features | Touchscreen |
| Panel | Type: Color, Touchscreen, Diagonal: 22,7 cm |
| Media Handling | Duplex (A4/A3, plain paper) |
| Security Functions | Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode |
| HDD | HDD, Encrypted, 320GB |

OTHER FEATURES

| | |
|------------|--|
| Emulations | PCL5c, PCL6, PostScript 3, PDF 1.7, ESC/P, ESC/P-R, PCL5e, ESC/Page, ESC/Page-Colour |
|------------|--|

OTHER

| | |
|----------|---------------------------|
| Warranty | 12 months On-site service |
|----------|---------------------------|

SUPPLIES

| | |
|--|------------|
| ● WorkForce Enterprise WF-C20600 Black Ink | C13T02Q100 |
| ● WorkForce Enterprise WF-C20600 Cyan Ink | C13T02Q200 |
| ● WorkForce Enterprise WF-C20600 Magenta Ink | C13T02Q300 |
| ● WorkForce Enterprise WF-C20600 Yellow Ink | C13T02Q400 |
| ● Maintenance box | C13T671300 |
| ● WFE Paper Feed Roller for Cassette | C12C935961 |
| ● WorkForce Enterprise Staple Cartridge for Booklet Finisher (includes 2 staple cartridges of 2000 staples for staples in the saddle unit for booklet stapling) | C12C935411 |
| ● WorkForce Enterprise Staple Cartridge for Staple Finisher - C12C935401 includes 3 staple cartridges of 5000 staples for the staple finisher(C12C935501) and the booklet finisher(C12C935071) | C12C935401 |

WorkForce Enterprise WF-C20600 D4TW

OPTIONAL ACCESSORIES

- WorkForce Enterprise Staple Finisher
C12C935501
- WorkForce Enterprise Saddle Unit
C12C935801
- WorkForce Enterprise Optional Paper Guide
C12C935901
- WorkForce Enterprise Finisher Bridge Unit
C12C935101
- WorkForce Enterprise Booklet Finisher
C12C935071
- WorkForce Enterprise 2/4 Hole Punch Unit
C12C935171
- EpsonNet 10/100/1000Base Tx Int
C12C934471
- Super G3/G3 Fax Board
C12C934491
- 3000-sheet High Capacity Paper Tray
C12C933041

LOGISTICS INFORMATION

| | |
|-------------------|---------------|
| SKU | C11CH86401SA |
| EAN code | 8715946676791 |
| Country of Origin | Indonesia |



- ¹Approx. page yield with the WF-C20600. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield.
- ²Fax optional in certain territories at an additional cost. Please contact your local Epson office for more information.
- ³Approx. based on internal testing; may vary depending on the number of copies selected, the output environment, as well as the settings for size, orientation, position of paper.

EPSON[®]